




PolyFoam[™] XPS

PRODUCT AND DELIVERY GUIDE

EFFECTIVE FROM MARCH 2026

CONTENTS

CONTENTS		PAGE
Floors	Polyfoam Floorboard Extra	4
	Polyfoam Floorboard Super	5
	Underfloor Heating Board	5
Roofs	U-value Guide for Inverted Roofs	6
	Polyfoam Roofboard Extra	7
	Polyfoam Slimline Zero Membrane	8
	Polyfoam Upstand Board	8
	Polyfoam Roofboard Super	8
XPS Fabrication Solutions	Polyfoam Laminating Board	9
	Polyfoam RV Board	10
Technical Data Summary		11
Delivery Vehicle Options		13
Vehicle Load Data		12 -23
Service Guidelines		24 - 26
Terms & Conditions		27



XPS FLOORING SOLUTIONS


A range of thermally efficient extruded polystyrene (XPS) options, offering thermal floor insulation solutions for use in applications ranging from low load domestic, to intensively loaded industrial flooring. Bespoke thicknesses available on request.

POLYFOAM FLOORBOARD EXTRA

FULL LOAD: 10 PALLETS

DESCRIPTION:

For thermal and structural insulation of higher loading floors. (e.g. public buildings, commercial/industrial units).



Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pack	Compression Strength (kPa)	Area per pack (m²)	Volume per pack (m³)	Packs per pallet	Pack Product Code
25 SE	0.031	600	2500	18	300	27.00	0.68	12	165967
30 SE	0.031	600	2500	14	300	21.00	0.63	12	198984
35 SE	0.031	600	2500	12	300	18.00	0.63	12	165968
50 SE	0.031	600	2500	9	300	13.50	0.68	12	165969
60 SE	0.031	600	2500	7	300	10.50	0.63	12	193165
65 SE	0.031	600	2500	6	300	9.00	0.59	12	165970
75 SE	0.031	600	2500	6	300	9.00	0.68	12	165971
80 SE	0.031	600	2500	5	300	7.50	0.60	12	198985
100 LJ	0.031	600	1250	4	300	3.00	0.30	24	165972
125 LJ	0.031	600	1250	3	300	2.25	0.28	28	193166
150 LJ	0.031	600	1250	3	300	2.25	0.34	24	193167

Minimum order: Due to our flexible delivery service on small loads there is only a 1 pack minimum order requirement.


Packaging: In polythene packs. **LJ = Lap Joint** **SE = Square Edge**. **Please note:** These products are usually supplied on pallets/foam bearers for easy loading and unloading. See pages 12-19 for additional vehicle load data. All dimensions nominal.



POLYFOAM FLOORBOARD SUPER

FULL LOAD: 10 PALLETS
DESCRIPTION:

For thermal and structural insulation of very high load floors. (e.g. cold stores).




Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pack	Compression Strength (kPa)	Area per pack (m ²)	Volume per pack (m ³)	Packs per pallet	Pack Product Code
50 LJ	0.035	600	1250	8	500	6.00	0.30	24	167305
60 LJ	0.035	600	1250	7	500	5.25	0.31	24	167306
80 LJ	0.035	600	1250	5	500	3.75	0.30	24	167307
100 LJ	0.035	600	1250	4	500	3.00	0.30	24	167308

Minimum order: Due to our flexible delivery service on small loads there is only a 1 pack minimum order requirement. **Packaging:** In polythene packs. **Please note:** These products are usually supplied on pallets/foam bearers for easy loading and unloading. All dimensions nominal.

POLYFOAM UNDERFLOOR HEATING BOARD

FULL LOAD: 10 PALLETS
DESCRIPTION:

For use as a carrier to proprietary underfloor heating components.



Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pack	Compression Strength (kPa)	Area per pack (m ²)	Volume per pack (m ³)	Packs per pallet	Pack Product Code
20	0.031	600	1200	240	300	172.80	3.46	1	199013
25	0.031	600	1200	192	300	138.24	3.46	1	199014

Minimum order: Due to our flexible delivery service on small loads there is only a 1 pack minimum order requirement. **Packaging:** In polythene packs. **Please note:** These products are usually supplied on pallets/foam bearers for easy loading and unloading. All dimensions nominal.

U-VALUE GUIDE FOR INVERTED ROOFS

Polyfoam Roofboard Extra And Slimline Zero Membrane System	
U Values (W/m ² K)	Polyfoam Roofboard Extra (mm)
0.20	150
0.19	160
0.18	165
0.17	180
0.16	190
0.15	200
0.14	215
0.13	230
0.12	250
0.11	280
0.10	300
0.09	340
0.08	390
Product Characteristics	
British Board of Agrément certificate	Certificate number 17/5454
Insulant type	Extruded Polystyrene
Compressive Strength	300 kPa
Declared Thermal Conductivity (λ 90:90)	0.031 W/mK
Design Thermal Conductivity (EN ISO 10456 / ETAG031 Annex B)	0.032 W/mK ($\geq$ 50mm)
Design Thermal Conductivity (EN ISO 10456 / ETAG031 Annex B)	0.033 W/mK ($<$ 50mm)
Water Flow Reducing Layer	Polyfoam Slimline Zero Membrane (tested at zero falls to ETAG031 Annex C)
Board Size	1250 x 600mm
Thickness (mm)	50, 70, 100, 150, 160, 165, 180, 190, 200, 215, 230, 250
Profile	15mm Lap Joint 4 sides
Colour	Orange
Environmental Performance	
Global Warming Potential (GWP)	Low ($<$ 5)
HCFC Free	Yes
CFC Free	Yes
HBCD Free	Yes
BREEAM Certification	
Environmental Product Declarations (EPD)	Yes
BES 6001: Responsible Sourcing of Construction Products	Yes
Standards	
Manufacturing	BS EN13164
Quality Management System	ISO 9001:2015
Environmental Management System	ISO 14001:2015
Energy Management Systems	ISO 50001:2011
Occupational Health & Safety Management Systems	ISO 45001:2018

*Calculation Method: BS EN ISO 6946 incorporating Design Lambda value

150mm Reinforced Concrete Deck (2% reinforcement)

7.5mm Hot Melt Waterproofing Layer

Slimline Zero Membrane Factor f.x

Rainfall - Met Office Statistics, UK Average 1981 - 2010

2.50 W/mK

R-value 0.030 m²K/W

0.001

3.16 mm/day

XPS FLAT ROOFING SOLUTIONS


A range of thermally efficient extruded polystyrene (XPS) products used in flat roof applications, both inverted roofing and single ply membrane. Two compressive strengths are available encompassing medium trafficked terrace and patio roofs to intensively loaded car park decks. Bespoke thicknesses available on request.

POLYFOAM ROOFBOARD EXTRA

FULL LOAD: 10 PALLETS

DESCRIPTION:

For thermal and structural insulation of medium traffic flat roofs. Polyfoam Roofboard Extra is suitable for inverted green and garden roof applications.



Thickness (mm)	Declared thermal conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pack	Compression Strength (kPa)	Area per pack (m²)	Volume per pack (m³)	Packs per pallet	Pack Product Code
50	0.031	600	1250	9	300	6.75	0.34	24	165975
70	0.031	600	1250	6	300	4.50	0.32	24	165977
100	0.031	600	1250	4	300	3.00	0.30	24	165978
150	0.031	600	1250	3	300	2.25	0.34	24	165982
160	0.031	600	1250	3	300	2.25	0.36	20	165983
165	0.031	600	1250	3	300	2.25	0.37	20	199103
180	0.031	600	1250	2	300	1.50	0.27	28	165984
190	0.031	600	1250	2	300	1.50	0.29	28	199104
200	0.031	600	1250	2	300	1.50	0.30	24	165985
215	0.031	600	1250	2	300	1.50	0.32	24	195398
230	0.031	600	1250	2	300	1.50	0.35	20	168419
250	0.031	600	1250	2	300	1.50	0.38	20	199105

Minimum order: Due to our flexible delivery service on small loads there is only a 1 pack minimum order requirement.

Packaging: In polythene packs. **Please note:** All Roofboards are supplied with 15mm lap joint on 4 sides.

These products are usually supplied on pallets / foam bearers for easy loading and unloading. See pages 12-19 for additional vehicle load data. All dimensions nominal.




POLYFOAM SLIMLINE ZERO MEMBRANE

FULL LOAD: 16 PALLETS

DESCRIPTION:

For use as a separating and water flow reducing layer in low moisture impact inverted and green roofs in conjunction with Polyfoam Roofboard. When used within inverted roof constructions Polyfoam Slimline Zero minimises heat loss through rainwater cooling and is an integral component of the Polyfoam Inverted Roof System.



Length (m)	Width (m)	Area per roll (m²)	Product Code
100	1.5	150	167059


Minimum order: Due to our flexible delivery service on small loads there is only a 1 roll minimum order requirement. **Packaging:** In polythene packs. **Please note:** *Slimline Zero Membrane requires a 300mm overlap therefore the installed m² coverage is 120m². All dimensions nominal.

POLYFOAM UPSTAND BOARD

FULL LOAD: 40 PALLETS

DESCRIPTION:

For thermal insulation and protection of upstands and parapet walls. A laminate of Polyfoam Laminating Board and weather resistant facing board.



Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pallet	Area per pallet (m²)	Product Code
50/6	0.033	600	1200	42	30.24	166056
50/6	0.033	1200	2400	22	63.36	166055
100/6	0.033	600	1200	22	15.84	166057


Minimum order: 1 pallet. **Packaging:** Palletised. **Please note:** All dimensions nominal. Bespoke thicknesses available upon request. See pages 12-19 for additional vehicle load data. All dimensions nominal.

POLYFOAM ROOFBOARD SUPER

FULL LOAD: 10 PALLETS

DESCRIPTION:

For thermal and structural insulation of heavy traffic flat roofs (eg car parks).



Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pack	Compression Strength (kPa)	Area per pack (m²)	Volume per pack (m³)	Packs per pallet	Pack Product Code
50	0.035	600	1250	8	500	6.00	0.30	24	167305
60	0.035	600	1250	7	500	5.25	0.31	24	167306
80	0.035	600	1250	5	500	3.75	0.30	24	167307
100	0.035	600	1250	4	500	3.00	0.30	24	167308

Minimum order: Due to our flexible delivery service on small loads there is only a 1 pack minimum order requirement. **Packaging:** In polythene packs. **Please note:** These products are usually supplied on pallets/foam bearers for easy loading and unloading. All dimensions nominal.

XPS FABRICATION SOLUTIONS


A range of off the shelf extruded polystyrene (XPS) products are available to cover a wide variety of end use applications, primarily as part of panels or other laminated solutions.

POLYFOAM LAMINATING BOARD

FULL LOAD: 20 PALLETS

DESCRIPTION:

In addition to the below standard products a wide range of special sizes are available as made to order products. Additionally, secondary process equipment is available for hot wire cutting or CNC machine processing for a wide range of fabrication applications.



Board Size 1200 x 2400mm

Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pallet	Area per pallet (m ²)	Volume Per Pallet (m ³)	Pallet Product Code
17.5	0.033	1200	2400	68	195.84	3.43	166013
20	0.033	1200	2400	60	172.80	3.46	166014
25	0.033	1200	2400	48	138.24	3.46	166021
30	0.033	1200	2400	40	115.20	3.46	166026
35	0.033	1200	2400	36	103.68	3.63	166028
40	0.033	1200	2400	32	92.16	3.69	166030
45	0.033	1200	2400	28	80.64	3.63	166031
50	0.033	1200	2400	24	69.12	3.46	166034

Minimum order: 1 pallet. **Packaging:** Palletised and secured with packaging tape. **Please note:** All dimensions nominal. See pages 12-19 for additional vehicle load data.

Board Size 1220 x 3000mm

FULL LOAD: 16 PALLETS

Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per Pallet	Area per Pallet (m ²)	Volume Per Pallet (m ³)	Pallet Product Code	Price £/m ²
21*	0.033	1220	3000	56	204.96	4.30	166016	6.12
23*	0.033	1220	3000	52	190.32	4.38	166018	6.71
25*	0.033	1220	3000	48	175.68	4.39	166023	7.00
27*	0.033	1220	3000	44	161.04	4.35	166025	7.56
50*	0.033	1220	3000	24	87.84	4.39	166037	13.12

Minimum order: 1 pallet. **Packaging:** Palletised and secured with packaging tape. **Please note:** All dimensions nominal. See pages 12-19 for additional vehicle load data.


* Non standard product made to order. Please contact our sales office for details of availability.

POLYFOAM REFRIGERATED VEHICLE BOARD

FULL LOAD: 20 PALLETS

DESCRIPTION:

Polyfoam Refrigerated Vehicle Board is suitable for thermal insulation for a wide variety of refrigerated vehicle applications.



Thickness (mm)	Thermal Conductivity (W/mK)	Width (mm)	Length (mm)	Boards per pallet	Area per pallet (m ²)	Volume Per Pallet (m ³)	Pallet Product Code
50	0.035	600	2400	48	69.12	3.46	199015
75	0.035	600	2400	36	51.89	3.89	199016
100	0.035	600	2400	24	34.56	3.46	199017

Minimum order: 1 pallet. **Packaging:** Palletised and secured with packaging tape. **Please note:** All dimensions nominal. See pages 12-19 for additional vehicle load data.

TECHNICAL DATA SUMMARY

	Polyfoam Floorboard Extra		Polyfoam Floorboard Super	Polyfoam Roofboard Extra	Polyfoam Roofboard Super	Polyfoam Laminating Board		Standard
Dimensions								
Length (mm)	2500	1250	1250	1250	1250	2400	3000	BS EN 822
Width (mm)	600	600	600	600	600	1200	1220	BS EN 822
Thickness (mm)	25-75	100-150	50 - 100	50 - 250	50 - 100	17.5 -50	21-50	BS EN 823
Squareness (mm)	<5		< 5	< 5	< 5	< 5		BS EN 824
Flatness (mm)	<6		<6	<6	<6	<6		BS EN 825
Dimensional Stability. 48 hrs at 70°, 90% Relative Humidity (%)	≤ 5		≤ 5	≤ 5	≤ 5	≤ 5		BS EN 1604
Thermal Conductivity (W/mK)								
Declared (λ 90:90)	0.031		0.035	0.031	0.035	0.033		BS EN 13164
Design	-		-	0.032 (>50mm) 0.033 (<50mm)	0.036	-		EN ISO 10456 / ETAG031 Annex B
Mechanical Properties								
Compressive Strength (kPa)	300		500	300	500	200		BS EN 826
Deformation (40kPa) %	≤ 5		≤ 5	≤ 5	≤ 5	< 5		BS EN 1605
Other Properties								
Long Term Water Absorption by Immersion (% vol)	≤ 0.7		NPD	≤ 0.7	NPD	≤ 0.7		BS EN 12087
Long Term Water Absorption by Diffusion (% vol)	≤ 1		≤ 1	≤ 1	≤ 1	≤ 1		BS EN 12088
Water Vapour Resistivity (% vol)	705		750	705	750	625		BS EN 12086
Freeze Thaw (% vol)	0		NPD	0	NPD	≤ 1.0		BS EN 12091
Reaction to Fire	F		NPD	F	NPD	F		BS EN 13501-1
Densisty (typical) (kg/m³)	30		40	32	40	30		BS EN 1602
Surface Finish	Skin / Laminate		Skin / Laminate	Skin / Laminate	Skin / Laminate	Laminate		-
Edge Profile	Square	Lap Joint	Lap Joint	Lap Joint	Lap Joint	Square		-
Environmental Properties								
Global Warming Potential (GWP)	< 5		< 5	< 5	< 5	< 5		
BREEAM certification								
Environmental Product Declaration (EPD)	✓		✗	✓	✗	✓		Certificate ENP 000082
BES 6001	✓		✗	✓	✗	✓		Certificate ENP RS0043

VEHICLE LOAD DATA

ARTICULATED VEHICLE: CURTAIN SIDED OR FLAT BED

POLYFOAM ROOFBOARD EXTRA

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
50	24	162	8.10	2160	240	1620
70	24	108	7.56	1440	240	1080
100	24	72	7.20	960	240	720
130	24	54	7.02	720	240	540
160	20	45	7.20	600	200	450
165	20	45	7.43	600	200	450
180	28	42	7.56	560	280	420
190	28	42	7.98	560	280	420
200	24	36	7.20	480	240	360
205	24	36	7.38	480	240	360
210	24	36	7.56	480	240	360
215	24	36	7.74	480	240	360
220	24	36	7.92	480	240	360
230	20	30	6.90	400	200	300
245	20	30	7.35	400	200	300
250	20	30	7.50	400	200	300

POLYFOAM UPSTAND BOARD

Full load 16 pallets

Thickness (mm)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
50/6	21	1296	1200	1200	312	120
100/6	11	1286	1200	1200	212	120
50/6	11	1352	2400	1200	327	120



Full load 10 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
81.00	6	2850	2530	1230	281	150
75.60	6	2670	2530	1230	263	150
72.00	6	2550	2530	1230	251	150
70.20	6	2490	2530	1230	245	150
72.00	5	2550	2530	1230	251	150
74.25	5	2625	2530	1230	259	150
75.60	7	2670	2530	1230	263	150
79.80	7	2810	2530	1230	277	150
72.00	6	2550	2530	1230	251	150
73.80	6	2610	2530	1230	257	150
75.60	6	2670	2530	1230	263	150
77.40	6	2730	2530	1230	269	150
79.20	6	2790	2530	1230	275	150
69.00	5	2450	2530	1230	241	150
73.50	5	2600	2530	1230	256	150
75.00	5	2650	2530	1230	261	150

VEHICLE OPTIONS



STANDARD VEHICLE

Deliveries are made on 40ft articulated, curtain sided, vehicles.

SPECIALIST VEHICLES

Specialist vehicles are available on request and at an additional cost. Extended lead times may apply, please contact customer services for further information.



FLATBED

40ft Flatbed vehicle required for crane offload only



RIGID

For smaller loads or where access is restricted. May be curtain sided or flat bed. Rigid vehicles are loaded and unloaded from the side using a forklift.

NB – A maximum 50 packs for Floorboard and 100 packs for Roofboard



MOFFETT

40ft Articulated vehicle with moffett offload, required when no forklift is available on site



SMALL LOAD

Flexible pallet delivery service available on request.

Polyfoam XPS Limited

Hunter House Industrial Estate, Hartlepool TS25 2BE

Tel: 01429 855100

Fax: 01429 868678

Email: info@polyfoamxps.co.uk

www.polyfoamxps.co.uk

VEHICLE LOAD DATA

ARTICULATED VEHICLE: CURTAIN SIDED OR FLAT BED

POLYFOAM FLOORBOARD EXTRA

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
25	12	324	8.10	2160	120	3240
30	12	252	7.56	1680	120	2520
35	12	216	7.56	1440	120	2160
50	12	162	8.10	1080	120	1620
60	12	126	7.56	840	120	1260
65	12	108	7.02	720	120	1080
75	12	108	8.10	720	120	1080
80	12	90	7.20	600	120	900
100	24	72	7.20	960	240	720
125	28	63	7.88	840	280	630
150	24	54	8.10	720	240	540

POLYFOAM LAMINATING BOARD 2400 X 1200

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
17.5	1	196	3.43	1360	20	3916.80
20	1	173	3.46	1200	20	3456.00
25	1	138	3.46	960	20	2764.80
30	1	115	3.46	800	20	2304.00
35	1	104	3.63	720	20	2073.60
40	1	92	3.69	640	20	1843.20
45	1	81	3.63	560	20	1612.80
50	1	69	3.46	480	20	1382.40

POLYFOAM LAMINATING BOARD 3000 X 1220

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
21	1	205	4.30	896	16	3279.36
23	1	190	4.38	832	16	3045.12
25	1	176	4.39	768	16	2810.88
27	1	161	4.35	704	16	2576.64
50	1	88	4.39	384	16	1405.44



Full load 10 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
81.00	6	2850	2500	1200	293	150
75.60	6	2670	2500	1200	285	150
75.60	6	2670	2500	1200	271	150
81.00	6	2850	2500	1200	280	150
75.60	6	2670	2500	1200	262	150
70.20	6	2490	2500	1200	244	150
81.00	6	2850	2500	1200	279	150
72.00	6	2550	2500	1200	248	150
72.00	6	2550	2530	1230	241	150
78.75	7	2775	2530	1230	267	150
81.00	6	2850	2530	1230	277	150

Full load 20 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
68.54	1	1340	2400	1200	127	150
69.12	1	1350	2400	1200	122	150
69.12	1	1350	2400	1200	117	150
69.12	1	1350	2400	1200	114	150
72.58	1	1410	2400	1200	117	150
73.73	1	1430	2400	1200	117	150
72.58	1	1410	2400	1200	112	150
69.12	1	1350	2400	1200	105	150

Full load 16 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
86.08	1	1326	3000	1220	156	150
87.55	1	1346	3000	1220	146	150
87.84	1	1350	3000	1220	142	150
86.96	1	1338	3000	1220	136	150
87.84	1	1350	3000	1220	131	150

VEHICLE LOAD DATA

RIGID VEHICLE

POLYFOAM ROOFBOARD EXTRA

Thickness (mm)	Packs per pallet	Area per pallet (m²)	Volume per pallet (m³)	Boards per full load	Packs per full load	Area per full load (m²)
50	20	135	6.75	900	100	675
70	20	90	6.30	600	100	450
100	20	60	6.00	400	100	300
130	20	45	5.85	300	100	225
160	16	36	5.76	240	80	180
165	16	36	5.94	240	80	180
180	24	36	6.48	240	120	180
190	20	30	5.70	200	100	150
200	20	30	6.00	200	100	150
205	20	30	6.15	200	100	150
210	20	30	6.30	200	100	150
215	20	30	6.45	200	100	150
220	20	30	6.60	200	100	150
230	16	24	5.52	160	80	120
245	16	24	5.88	160	80	120
250	16	24	6.00	160	80	120

POLYFOAM UPSTAND BOARD

Thickness (mm)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
50/6	21	1296	1200	1200	312	120
100/6	11	1286	1200	1200	212	120
50/6	11	1352	2400	1200	327	120



Full load 5 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
33.75	5	2400	2530	1230	236	150
31.50	5	2250	2530	1230	221	150
30.00	5	2150	2530	1230	211	150
29.25	5	2100	2530	1230	206	150
28.80	4	2070	2530	1230	203	150
29.70	4	2130	2530	1230	209	150
32.40	6	2310	2530	1230	227	150
28.50	5	2050	2530	1230	201	150
30.00	5	2150	2530	1230	211	150
30.75	5	2200	2530	1230	216	150
31.50	5	2250	2530	1230	221	150
32.25	5	2300	2530	1230	226	150
33.00	5	2350	2530	1230	231	150
27.60	4	1990	2530	1230	195	150
29.40	4	2110	2530	1230	207	150
30.00	4	2150	2530	1230	211	150

VEHICLE LOAD DATA

RIGID VEHICLE

POLYFOAM FLOORBOARD EXTRA

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
25	10	270	6.75	900	50	1350
30	10	210	6.30	700	50	1050
35	10	180	6.30	600	50	900
50	10	135	6.75	450	50	675
60	10	105	6.30	350	50	525
65	10	90	5.85	300	50	450
75	10	90	6.75	300	50	450
80	10	75	6.00	250	50	375
100	20	60	6.00	400	100	300
125	24	54	6.75	360	120	270
150	20	45	6.75	300	100	225

POLYFOAM LAMINATING BOARD 2400 X 1200

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
50	1	69	3.46	144	6	414.72
45	1	81	3.63	168	6	483.84
40	1	92	3.69	192	6	552.96
35	1	104	3.63	216	6	622.08
30	1	115	3.46	240	6	691.20
25	1	138	3.46	288	6	829.44
20	1	173	3.46	360	6	1036.80
17.5	1	196	3.43	408	6	1175.04

POLYFOAM LAMINATING BOARD 3000 X 1220

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
21	1	205	4.3	896	16	3279.36
22	1	190	4.19	832	16	3045.12
23	1	190	4.38	832	16	3045.12
25	1	176	4.39	768	16	2810.88
26	1	168	4.38	736	16	2693.76
27	1	161	4.35	704	16	2576.64
30	1	146	4.39	640	16	2342.40
50	1	88	4.39	384	16	1405.44



Full load 5 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
33.75	5	2475	2500	1200	246	150
31.50	5	2325	2500	1200	238	150
31.50	5	2325	2500	1200	227	150
33.75	5	2475	2500	1200	235	150
31.50	5	2325	2500	1200	220	150
29.25	5	2175	2500	1200	205	150
33.75	5	2475	2500	1200	235	150
30.00	5	2225	2500	1200	207	150
30.00	5	2225	2530	1230	202	150
33.75	6	2475	2530	1230	230	150
33.75	5	2475	2530	1230	232	150

Full load 10 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
34.56	1	1350	2400	1200	105	150
36.29	1	1410	2400	1200	112	150
36.86	1	1430	2400	1200	117	150
36.29	1	1410	2400	1200	117	150
34.56	1	1350	2400	1200	114	150
34.56	1	1350	2400	1200	117	150
34.56	1	1350	2400	1200	122	150
34.27	1	1340	2400	1200	127	150

Full load 8 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
86.08	1	1326	3000	1220	156	150
83.74	1	1294	3000	1220	146	150
87.55	1	1346	3000	1220	146	150
87.84	1	1350	3000	1220	142	150
87.55	1	1346	3000	1220	139	150
86.96	1	1338	3000	1220	136	150
87.84	1	1350	3000	1220	133	150
87.84	1	1350	3000	1220	131	150

VEHICLE LOAD DATA

ARTICULATED VEHICLE: CURTAIN SIDED OR FLAT BED

POLYFOAM REFRIGERATED VEHICLE BOARD

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
50	1	69	3.46	960	20	1382.40
75	1	52	3.89	720	20	1036.80
100	1	35	3.46	480	20	691.20

POLYFOAM UNDERFLOOR HEATING BOARD

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
20	1	173	3.46	4800	20	3456.00
25	1	138	3.46	3840	20	2764.80



Full load 20 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
69.12	1	1350	2400	1200	134	150
77.76	1	1500	2400	1200	150	150
69.12	1	1350	2400	1200	134	150

Full load 20 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
69.12	1	1350	2400	1200	134	150
69.12	1	1350	2400	1200	134	150

VEHICLE LOAD DATA

RIGID VEHICLE

POLYFOAM REFRIGERATED VEHICLE BOARD

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
50	1	69	3.46	288	6	414.72
75	1	52	3.89	216	6	311.04
100	1	35	3.46	144	6	207.36

POLYFOAM UNDERFLOOR HEATING BOARD

Thickness (mm)	Packs per pallet	Area per pallet (m ²)	Volume per pallet (m ³)	Boards per full load	Packs per full load	Area per full load (m ²)
20	1	173	3.46	1440	6	1036.8
25	1	138	3.46	1152	6	829.44



Full load 6 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
34.56	1	1350	2400	1200	134	150
38.88	1	1500	2400	1200	150	150
34.56	1	1350	2400	1200	134	150

Full load 6 pallets

Volume per full load (m ³)	Packs high per pallet	Pallet Height (mm)	Pallet Length (mm)	Pallet Width (mm)	Nominal weight per pallet (kg)	Thickness of pallet / foam bearer (mm)
34.56	1	2550	2400	1200	134	150
34.56	1	2550	2400	1200	134	150

HOW TO PLACE YOUR ORDER

- Step 1** » Select the products you wish to order
- Step 2** » Refer to your Customer Terms Confirmation (CTC) for pricing
- Step 3** » Send your order via e-mail, or fax showing your correct prices, Polyfoam XPS Ltd product codes, PO order, required delivery date, and quotation reference number (if applicable), in order to avoid delays in processing and delivery.



ORDER AND DELIVERY QUANTITIES

- » The minimum order quantity levels are detailed under each product in the Product & Delivery Guide.



DELIVERY LEAD TIMES AND CARRIAGE CHARGES (FOR STANDARD VEHICLES ONLY)

- » Please see below confirmation of typical delivery lead times and charges for our published, stocked price list products. Please note that these are guidelines only, delivery lead times may increase in busy periods.

Order Quantity (a)	Full load c70m ³	Part load 15 - <70m ³	Small load options Pallet Service
Timed Delivery Available (b)(c)	Yes	No	Flexible options available
Typical Lead Times (c)(d)	Within 3 working days	3-5 working days	Next day to 48 hours
Delivery Charge (e)	Carriage paid	£250	POA

Please note that orders greater than one full vehicle, delivered direct to site, will receive **one balance load free of additional carriage charge**. Deliveries are based on 40' curtain-sided articulated vehicles only. A full vehicle represents approximately 70m³. Deliveries to mainland England, Scotland and Wales only. The typical lead times are for guidance only, extended lead times may apply during busy periods and when using specialist vehicles.

Please Note - Customer services will endeavour to find the most cost effective option for small load orders. Please refer to our product & delivery guide for m³ guidance or contact Customer Services for assistance.

Notes

- » (a) An order is defined as one delivery to one location. The exact quantity that defines the type of 'load' will vary by product. Please contact Customer Services for confirmation based on your order.
- » (b) A timed delivery would be a single delivery to one location within an hour of the time requested.
- » (c) As per our T&Cs we are not liable for additional costs when delays occur due to incidents outside of our control. i.e road traffic accidents, weather events etc.
- » (d) Polyfoam XPS Ltd will confirm the exact date of delivery in an order confirmation.
- » (e) There will be a fixed delivery charge part loads, small quantities and specialists vehicles for all deliveries to mainland England, Wales and Scotland (For deliveries to Northern Ireland, please contact Customer Services).
- » (f) All Polyfoam Roofboard and Floorboard orders greater than one full vehicle (c70m³), delivered direct to to a construction site (mainland England, Wales and Scotland only) will receive one balance load free of additional carriage charges.

Deliveries To Northern Ireland

Order Quantity (a)	Full load circa 70m ³
Timed Delivery Available	No
Lead Time (c)(d)	Upon request
Delivery Charge	POA

Part load deliveries can be offered, but not guaranteed, on request to Customer Services.



CUSTOMER COLLECTIONS

- » Orders must be placed, and a collection date/time agreed with customer services, by midday of the day prior to the collection. Pick up between 8.30am and 11.30am. Collections outside of this period are likely to have extended waiting times, no collections can be made after 3pm. **Please note: Only vehicles that can be side loaded with a fork lift are acceptable due to Health and Safety limitations. Please check with customer services the dimensions of pack sizes prior to collection.**



SPECIALIST VEHICLES

- » As detailed on page 11, we have limited availability of the following specialists vehicles. We can offer full load deliveries using the following systems at a fixed cost of:

- Moffett £250
- Flatbed Vehicle £250
- Rigid Vehicles POA

Please note rigid vehicles are loaded and unloaded from the side using a forklift.

- Part loads £250

- » FORS – Standard vehicles offer FORS bronze accreditation. FORS Silver is available at additional cost. Please contact the sales office for details of availability and charges.



FULL LOAD SPLIT DELIVERY

- » Where the mileage between drops is 20 miles or less a split-drop charge of £90 will be applicable.
- » For split-drops up to 40 miles a charge of £150 will be applicable. The first drop can be a timed delivery, but we are unable to give a timed delivery for the second drop.
- » If more than two drops are required, please contact Customer Services.



UNLOADING

- » 2 hours free.
- » Thereafter demurrage will be charged at a rate of £50/hour or part thereof, until such time the goods are unloaded.
- » After 4 hours we reserve the right to withdraw the vehicle, this will then be treated as a refused delivery.



CANCELLING OR AMENDING YOUR ORDER / REFUSAL OF DELIVERY


- » Vehicles are loaded with order requirements two days prior to delivery, therefore any cancellations or amendments to orders must be made in writing by 12 noon, two working days before the delivery date.
- » For all orders where loading has commenced the order cannot be cancelled or amended without incurring a charge of £150.
- » For all orders where delivery has commenced (i.e the vehicle has left the plant) the order cannot be cancelled, amended or refused on site without incurring all transport costs, to and from the delivery address. The £150 cancellation charged will also be incurred.
- » Please note, amending orders may change the original delivery date. Please contact our Customer Services for further information.

SERVICE GUIDELINES



RESTOCKING

- » When this facility is requested, a fee of 30% of the invoiced price will be charged plus the cost of outbound and inbound transport.
- » Returning products to stock can only be accommodated if the product is in its original packaging and in a saleable condition which will be fully inspected and approved or rejected by the plant. Products need to be in complete packs, palletised and can be off loaded by a forklift truck.
- » We cannot offer this service for non-standard products.
- » Collections must be requested within two weeks of the original delivery being made. Please contact Customer Services for further details and to arrange uplifts.
- » All returns are at customer cost and risk.



NON-STANDARD PRODUCTS

- » For products not listed in the Product & Delivery Guide please contact your local Sales Manager to prepare a Non-standard Quotation for your request.
- » Please note that non-standard products may be subject to higher minimum order quantities, additional transport charges and extended lead times.

Once ordered non-standard products cannot be cancelled without incurring the full charge.



STANDARD SERVICE EXAMPLES

- » **Full loads (Typically 3 working days)** - Orders received by midday on a Monday will be delivered by end of Thursday. Orders received after midday on a Monday will be delivered by Friday.
- » **Part loads (Typically 3-5 working days)** - Orders received by midday on a Monday will be delivered between Thursday and the following Monday. We will always aim to deliver as early as possible within this window, and confirmation of the planned delivery date can be provided on request. To maintain the best service for all customers, please note that refusal of a notified delivery date will result in your order being rescheduled, which may extend lead times.



ORDER CONFIRMATION AND INVOICING

- » **Order confirmation** - All orders must be accompanied by a formal order number. We will provide written confirmation of your order and any amendments you may request. We ask that you check all Order Confirmation Notes you receive carefully as they will reflect what appears on the invoice you receive and we ask that any queries you have are immediately directed to our Customer Service Team.
- » **Invoicing for services** - Any additional fees for providing 'special' delivery services will be included on the invoice of the order it relates to. Should you have any queries about your invoice we ask that you contact us within two days of its receipt.

CONTACT US

- » For further information on the above, general product data, literature, quotations, orders and details of dispatches please contact our Customer Service Team between the hours of 8.30am and 5pm, Monday to Friday.

Telephone: 01429 855100 **Fax:** 01429 868678
Customer Service Email: sales@polyfoamxps.co.uk
www.polyfoamxps.co.uk

- » If you need help or advice on any aspect of our range of solutions or their application you can contact our Technical Department on:

Telephone: 01429 855120
Email: technical@polyfoamxps.co.uk

STANDARD TERMS AND CONDITIONS OF SALE POLYFOAM XPS LTD ("THE SELLER")

1. PREVAILING CONDITIONS

This contract constitutes the entire agreement between the parties. The Buyer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of the Seller which is not set out in the contract.

2. ACCEPTANCE

No contract will be created between the Seller and the Buyer until the Seller has dispatched written confirmation of its acceptance of the Buyer's order. Quotations issued by the Seller are not offers capable of acceptance so as to make a binding contract. Quotations are invitations to treat only.

3. PRICES

The price payable for the goods shall be the Seller's price list current on the date upon which the goods are dispatched from the Seller's premises, subject to any quantity discounts agreed or price previously agreed between the parties and set out on the invoice. The price of the goods is exclusive of VAT.

4. CONTINUITY

Notwithstanding acceptance of the Buyer's order, the Seller reserves the right to discontinue the manufacture, supply and delivery of any goods or line of goods at any time.

5. TERMS OF PAYMENT

- Payment for the goods will become due within 30 days of the invoice date.
- Where payment is delayed beyond the date specified for payment pursuant to Clause 5a, the Buyer shall pay interest on any sums remaining unpaid at the rate of 4% above the Bank of England base rate from time to time. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Buyer shall pay the interest together with the overdue amount.
- Time of payment shall be of the essence and failure to make any payment on the due date shall entitle the Seller to treat the contract as repudiated and act accordingly (including cancelling delivery of the goods or further deliveries under the contract) and require payment in full of sums due under this contract or remaining outstanding under any other contract (whether for the sale of goods or otherwise).

6. PACKAGING

The prices quoted include the cost of the Seller's normal packing. If the Buyer requires any special type of packaging to be used it should request a special quotation from the Seller.

7. PASSING OF RISK

- Risk in the goods will pass to the Buyer on completion of delivery. Delivery of the goods shall be completed at the Seller's premises, or such other location as is specified on the applicable order invoice.
- The Buyer shall notify the Seller of any damage to, or partial loss of, the goods as a result of transit, within 3 days of their receipt at the agreed location. The Seller at its sole discretion shall supply the Buyer with a replacement for the relevant goods or a credit note equivalent in value to the purchase price of such goods. The Seller reserves the right to collect and inspect such goods.

8. TITLE

- Title to the goods shall not pass to the Buyer until:
 - payment in full for the goods that the Seller has supplied to the Buyer, has been received;
- Until title to the goods has passed to the Buyer, the Buyer shall:
 - keep and store in such a manner as to enable identification of the goods as those of the Seller;
 - not remove, deface or obscure any identifying mark or packaging on or relating to the goods;
 - maintain the goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery; and
 - notify the Seller immediately if it becomes subject to any of the events listed in Clause 14a
- If before title passes, the Buyer becomes subject to any of the events listed in Clause 14a, then, without limiting any other right or remedy the Seller may have:
 - the right to sell or use goods in the ordinary course of business ceases immediately; and
 - the Seller may, at any time, enter any premises of the Buyer or any third party (and the Buyer grants to the Seller, or shall procure the grant to the Seller of, an irrevocable licence to do so) in order to recover goods stored at such premises which have not been resold by the Buyer or irrevocably incorporated into another product, or at any time require the Buyer to deliver up all such goods in its possession.

9. LATE DELIVERY

- The Seller will endeavour to comply with any delivery time quoted to the Buyer.
- Any delivery times quoted by the Seller are, unless agreed in writing to the contrary, approximate and time for delivery is not of the essence. Subject to Clause 10a and 10b, the Seller shall not be liable to the Buyer in respect of any loss howsoever arising, suffered by the Buyer as a result of the Seller's failure to dispatch the goods within any delivery time quoted.

10. WARRANTY AND LIMITATION OF LIABILITY

- Nothing in this agreement shall limit or exclude the liability of the Seller for: (a) death or personal injury resulting from negligence; or (b) fraud or fraudulent misrepresentation; or (c) anything else which cannot be excluded by law.
- Subject to Clause 10a:
 - the Seller does not sell the goods (or provide any associated technical advice or services) subject to any warranty or condition either express or implied by common law, statute or otherwise, and all such warranties and conditions are hereby expressly excluded to the fullest extent permitted by law, save that the Seller warrants that the goods shall conform with their description on the Seller's order acknowledgement of the applicable order, provided always that goods for "made to order" materials are accepted by the Buyer on the understanding that the Seller may deliver goods up to and including 10% more or less in the quantity of goods ordered due to production anomalies (in which case the Seller shall not be liable for any such fluctuations and the value of the applicable invoice shall be adjusted accordingly and the Buyer shall have no right to reject such goods);

- the Seller does not sell the goods subject to any warranty or condition concerning the fitness of the goods for a particular purpose;
 - the Seller shall under no circumstances whatever be liable to the Buyer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with this contract; and
 - the Seller's total liability to the Buyer in respect of all other losses arising under or in connection with any order for goods, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the purchase price of the goods that are the subject of the applicable order.
 - the Seller reserves the right to make any changes in the specification of the goods which are required to confirm with any applicable statutory requirements or, where the goods are to be supplied to the Seller's specification, which do not materially affect their quality or performance.
 - If the goods are ordered by brand name the Seller reserves the right to substitute similar goods which perform to the same standard.
- The Buyer shall give written notice to the Seller of any shortfall in quality of the goods within 21 days of the date of delivery and give a reasonable opportunity for the Seller to examine such goods in accordance with its usual quality control procedures.

11. DIVISIBILITY CLAUSE

- The company reserves the right to make deliveries/and or services by instalments and render a separate invoice in respect of each such instalment.
- If the company exercises its right to make deliveries/and or services in accordance with sub-paragraph (a) above, then any delay in the provision of such deliveries/and or services, or failure to deliver any further instalment or instalments, shall not entitle the Buyer to reject the contract or the delivery/services of any other instalment or to withhold payment in respect of any instalment previously delivered/served.

12. HEALTH / LIABILITY

The Buyer shall be responsible for ensuring that the goods and their importation, exportation, use, sale, disposal, storage and handling of the goods, comply with the technical information supplied by the Seller, or available within the industry and laws governing the same, and do not pose a risk to health or third parties. The Buyer shall indemnify the Seller from and against any and all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses and legal and other professional costs and expenses) suffered or incurred by the Seller arising out of or in connection with the importation, exportation, use, sale, disposal, storage or handling of the goods.

13. TECHNICAL ADVICE

- Notwithstanding that the Seller may give information or advice concerning the chemical behavioural characteristics of the goods or use of the goods in certain circumstances or the suitability for use of any substance in connection with the goods, the Buyer must rely upon its own skill and judgement in relation to such matters, having regard to the information sheets provided by the manufacturer, industry knowledge and its own testing. Subject to Clauses 10a and 10b, and to the fullest extent permitted by law, the Seller hereby expressly excludes all liability, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for damage or loss sustained by the Buyer as result of a reliance upon such information or advice.
- The Buyer acknowledges that Clause 13a is reasonable because the Buyer is better placed to understand the uses to which the goods will be put and the suitability for use of any design or substance used in connection with the goods.

14. EVENTS OF DEFAULT AND TERMINATION

- The Seller may terminate this contract with immediate effect by giving written notice to the Buyer if:
 - the Buyer fails to make any payment which has become due under the terms of this contract or any other contract between the Buyer and the Seller or commits any other breach of its obligations hereunder;
 - the Buyer is unable to pay its debts as they fall due or is deemed unable to pay its debts within the meaning section 123 of the Insolvency Act 1986;
 - the Buyer compounds or makes any voluntary arrangement with its creditors or an application is made to court or an order is made for the appointment of an administrator or (being an individual or firm) becomes the subject of a bankruptcy petition or (being a company) goes into liquidation (otherwise for the purposes of amalgamation or reconstruction);
 - an administrator or a receiver is appointed over any of the property or assets of the Buyer; or
 - the Buyer ceases or threatens to cease to carry on business; or
 - the Seller reasonably apprehends that any of the events mentioned above are about to occur in relation to the Buyer and notifies the Buyer accordingly.
 - If any of Clauses 14.a.i to 14.a.vi (inclusive) applies then (without prejudice to any other right or remedy available to the Seller) the Seller shall be entitled to cancel this contract and any other contract or suspend any further deliveries under any such contract without any liability to the Buyer, and if any goods have been supplied under any such contract but not paid for, all monies then due or to become due by the Buyer to the Seller under this contract or any other contract shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary and the Seller shall be entitled to retain any deposits paid by the Buyer on account of such liability. Clauses which expressly or by implication survive termination of this contract shall continue in full force and effect.
- DATA PROTECTION**
 - The Seller may undertake searches with credit reference agencies in relation to the Buyer, including principal directors. The Seller may make information relating to the Buyer's trade credit performance available to credit reference agencies and other organisations to assess applications for credit, fraud prevention and debtor tracing.
 - The Seller may use information (including personal data, as defined in the Data Protection Act 1998) provided to it by the Buyer to provide information to the Buyer about other goods offered by the Seller that are similar to those already purchased and disclose such information to third party organisations engaged by the Seller to conduct promotional activities on the Seller's behalf.
 - All personal data (as defined in the Data Protection Act 1998) provided by the Buyer to the Seller will be processed and held by the Seller in accordance with the Data Protection Act 1998.

16. DATA PRIVACY – GDPR

POLYFOAM XPS LTD will comply with the GDPR. The protection of an individual's privacy is a fundamental right. Within POLYFOAM XPS LTD the processing of personal data is allowed, but only for purposes compatible with those for which the personal data have been collected. The following personal data are collected: Processing of Personal Data of potential, current and former customers Purposes: customer administration, bookkeeping system fulfillments, quality management fulfillments based on our contractual relationship and/or because you use our products and/or services. Information: customers will be informed through the privacy statement.

As our potential, current or former customer you can exercise the rights with regards to your personal data:

- Right to withdraw consent at any time
- Right of access to the personal data
- Right to rectification of incomplete, inadequate or excessive personal data
- Right to erasure of inaccurate, erroneous or incomplete personal data, of personal data that is no longer necessary in relation to the purpose, when the consent has been withdrawn or any personal data which does not comply with the provisions of the current legislation
- Right to restriction of processing in case of inaccuracy, processing is unlawful, there is no longer need of the processed personal data, of a pending procedure of verification of legitimate grounds.
- Right to data portability: to receive your Personal Data or have it transmitted in a structured, commonly used and machine-readable format when the processing is based on the consent of the Individual or based on a contract and is carried out by automated means
- Right to object

The application to exercise any of the rights mentioned above should be done to info@polyfoamxps.co.uk. Each application must contain all information we need to define the identity of the Individual requesting any of the rights such as:

name and surname of the Individual, and a photocopy of both side of the identity card nature of the request data of the application and signature of Individual.

POLYFOAM XPS LTD will reply as soon as possible after the date of receipt of the application.

POLYFOAM XPS LTD has taken and will take all the necessary measure for the security of the processing of personal data, the necessary technical and organizational measure are in place. All personal data are stored in a secured place behind the necessary domain security and the necessary policies are in place

17. FORCE MAJEURE

Without prejudice to the Buyer's obligation to pay sums due and payable to the Seller pursuant to this contract, neither party shall be in breach of this contract nor liable for delay in performing, or failure to perform, any of its obligations under this contract if such delay or failure result from events, circumstances or causes beyond its reasonable control. In such circumstances, the affected party shall be entitled to a reasonable extension of the time for performing such obligations. If the period of delay or non-performance continues for 30 business days the party not affected may terminate this contract by giving 30 business days' written notice to the affected party.

18. ASSIGNMENT AND OTHER DEALINGS

- The Seller may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the contract.

The Seller shall be entitled to transfer any claim under this contract to Factoring Service Center NV without prior consent of the Buyer. If any provisions in the General Terms and Conditions of the Buyer conflict with the transferability of a claim such provisions are hereby explicitly rejected and excluded.

- The Buyer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the contract without the prior written consent of the Seller.

19. SEVERANCE

- If any provision or part-provision of the contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this Clause 18 shall not affect the validity and enforceability of the rest of the contract.

20. THIRD PARTY RIGHTS

A person who is not a party to the contract shall not have any rights to enforce its terms.

21. COMPLIANCE

The Seller shall (a) comply with all applicable laws, statutes and regulations relating to anti-bribery and anti-corruption including but not limited to the Bribery Act 2010; and (b) not engage in any activity, practice or conduct which would constitute an offence under sections 1, 2 or 6 of the Bribery Act 2010 if such activity, practice or conduct had been carried out in the UK.

22. WAIVER


No failure or delay by a party to exercise any right or remedy provided under the contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

23. VARIATION

Except as set out in this contract, no variation of the contract, including the introduction of any additional terms and conditions, shall be effective unless it is in writing and signed by the Seller.

24. GOVERNING LAW AND JURISDICTION

This contract shall be governed by English law and any dispute or claim arising out of or in connection with it shall be governed by, and construed in accordance with the law of England and Wales. Each party irrevocably agrees that the courts of England and Wales shall have the exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this contract.



PolyFoam™ XPS

Polyfoam XPS Limited
Hunter House Industrial Estate,
Hartlepool TS25 2BE
Tel: 01429 855100
Fax: 01429 868678
Email: info@polyfoamxps.co.uk

www.polyfoamxps.co.uk